5. REFERENCES

Abdul Jabbar, Muhammad Arfan Zaman, Zafar Iqbal, Muhammad Yaseen, Asim Shamim, (2007), Anthelmintic Activity of Chenopodium album (L.) and Caesalpinia Crista (l.) Against trichostrongylid nematodes of sheep, Journal of Ethnopharmacology, Volume 114, Issue 1, 86-91.

Arya Vaidya Sala, (2002), Indian medicinal plants, a compendium of 500 species. Vol – V, Madras:Orient Longman Ltd.; 261 - 262.

Augustine E. Nkengfack, (2001), Cytotoxic Isoflavones from *Erythrina Indica*, Phytochemistry 58113-1120.

Chatterjee GK. Gurman TK., (1981), Preliminary Pharmacological Screening of *Erythrina Indica* Seeds, Indian Journal of Pharmacology, Volume 11, Issue 2,153-158.

De Bairacli Levy J. (1991), *The complete herbal handbook for farm and stable*. Faber and Faber:

London; 4th edition; 471.

Gaur R. L., (2008), Antifilarial activity of Caesalpinia Bonducella against Experimental Filarial infections, Indian J Med Res 128, 65-70.

Gayatri Sarma, (2009), Hypoglycemic Action of Seed Kernel of Caesalpinia Bonducella Fleming

In Normal and Alloxan Induced Diabetic Albino Rats, Internet Journal of Pharmacology.

Volume 6, Number 2.

Gibson TE. (1965), *Veterinary anthelmintic medication*. Technical Communication No.33 of the

Commonwealth Bureau of Helminthology, St. Albans, Herts, 2nd edition; 206.

Hegde, N., (1993), Cultivation and uses of Erythrina variegata in western India in S.B. Westley and M. H. Powell, eds. Erythrina in the new old worlds Pala hi (USA): NFRA, 77-84.

Huxley, A., (1992), New RHS dictionary of gardening. Ed. Macmillan ISBN 0-333-474, 94-95, Available at http:// en.wikipedia.org/wiki/Erythrina variegata.

http://www.webster online dictionary.org/credit/wordnet.html.

http://en.wikipedia.org/wiki/Helminthiasis

http://www.who:int/topics/helm/en/

Jesupillai M. Jesemine S. Palanivelu M. (2008), Diuretic Activity of Leaves of *Erythrina Indica*. Lam, International Journal of Green Pharmacy, 4(2), oct-dec. 218-219.

Kapoor LD. (2005), Ayurvedic Medicinal Plants, Published by CRC Press, Delhi, 177-178.

Konozy, E.H.E.; Mulay R.; Faca V.; Ward R. J.; Greene L. J.; Roque-Bariera, M. C.; Sabharwal, S. Bhide S. V. (2002), Plant physiology and biochemistry,84(10): 1035-1043.

Malaya Gupta, (2004), Antitumor Activity and Antioxidant Status of Caesalpinia Bonducella against Ehrlich Ascites Carcinoma in Swiss Albino Mice, Journal Of Pharmacological Sciences, Vol. 94 No. 2, 177-184.

Marie D'souza, (1998), *Tribal Medicine*; Social center, Ahmednagar, India, 1st edition; 300.

McPherson DD. Diss Abstr. Int 48 (8) 1988: 2330

Nadkarni AK, Nadkarni KR. (1976), Indian Materia Medica, Vol I., Popular Prakashan, Bombay,: 226 - 229.

N. Venkat Rao, (2008), Anxiolytic Activity of Seed Extract of Caesalpinia Bonducella (Roxb) In Laboratory animals, Internet Journal of Pharmacology.

Nkengfack AE., Waffo AK, Azebaze GA, Fomum ZT, Meyer M, Bodo B, Van Heerden FR (2000), Indicanine A, a new 3- phenyloumarin from root bark of Erythrina Indica, J NAT Prod.; June 63(6): 855-6.

Palanivelu M. Jesupillai M. (2009), Anthelmintic Activity of Leaves of Erythrina Indica. Lam, the Internet Journal of Alternative Medicine ISSN: 1540-2584.

Pullaiah T., Medicinal Plants in India, Regency Publication, New Delhi, Vol. I, 239.

Runia Haque, Mohammad Shawkat Ali, (2006), Analgesic Activity of Methanol Extract of the Leaf of *Erythrina indica* (syn: *E. variegata*), Dhaka University Journal of Pharmaceutical science, 5(1-2); 77-79.

R. Aruna Devi, (2008), Analgesic Activity of Caesalpinia Bonducella Flower Extract, Summary Pharmaceutical Biology, Vol 46, No. 10-11, 668- 672.

Sakat sachin. Juvekar Archana, (2009), Anti ulcer Activity of Methanol Extract of *Erythrina indicia* Lam. Leaves in Experimental Animals, Pharmacognosy Magazine, 6(1), 396-401.

Saraswathy A. Ramaswamy D. and Nandini DS. (2008), In Vitro Antioxidant Activity and Heavy Metal Analysis of Stem Bark of *Erythrina Indica*. Lam. Indian drugs, 45(8), 631-634.

Sarota Cheenprach, (2006), Helvetica Chemica Acta 89 (5), Switzerland: 1062 -1066.

Shukla Shruti, (2010), Studies on Anti-inflammatory, Antipyretic and Analgesic Properties of Caesalpinia Bonducella F. Seed Oil in Experimental Animal Models, Food and Chemical toxicology, Vol. 48, No. 1, 61-64.

Shukla Shruti , (2010), In Vivo Immunomodulatory Activities of Aqueous Extract of Caesalpinia Bonducella Seed, Pharmaceutical Biology (Formerly International Journal of Pharmacognosy), Vol. 48, No. 2, , 227- 230(4).

Sourav Mandal, Assessment of the Antioxidant and Reactive oxygen Species Scavenging Activity of Methanolic Extract of Caesalpinia crista Leaf, Evidence based Compl. And Alt. Medicine, 10, 072.

Sudeep Parameshwar, Srinivasan KK. and C. Mallikarjuna Rao,(2002),Oral Antidiabetic Activities of Different Extracts of Caesalpinia Bonducella Seed Kernels, Summary Pharmaceutical Biology Vol. 40, No. 8, 590-595.

Sunil N Kshirsagar, (2011), Nootropic Activity of Dried Seed Kernels of Caesalpinia Crista Linn against Scopolamine Induced Amnesia in Mice, International Journal of PharmTech Research, Vol. 3, No. 1, 104-109.

Surya Kant Kalauni, Suresh Awale, Yasuhiro Tezuka, (2006), Antimalarial Activity of Cassane and Norcassane Type Diterpenes from Caesalpinia Crista and their Structure Activity Relationship, Biological and Pharmaceutical Bulletin Vol, 29 no. 5, 1050 - 1052.

The Wealth of India, (1959), a dictionary of Indian raw materials and industrial products, First supplement series, National institute of science, communication and Information resources,

CSIR, New Delhi, Vol I; D-I, 92-95.

Vaidyaratnam P. S.(2003), Indian Medicinal Plants A compendium of 500 species, Vol II, Published By Orient Longman Pvt. Ltd, Kotakkal, 378- 381.

Waghorn G.C. and McNabb W.C. (2003), Consequences of plant phenolic compounds for productivity and health of ruminants. *Proceedings of the Nutrition Society*, 62: 383-92.